



CSP03—Matt Medium

(Matt Glaze)

This Clear Matt finish is **Non-toxic** and creates a **Food Safe finish**. It is a perfect base glaze for Majolica work.

Tinted Transparent Matt Glaze: The normal blend ratio for a tint is 4 ounces of CSP03 Matt Medium to 1 teaspoon Color Concentrate. 3 coat application.

Opaque Matt Glaze: The normal blend ratio for an opaque matt glaze is 4 parts CSP03 Matt Medium to 1 part Color Concentrate. 3 coat application.

Intense Matt: Some of the Color Concentrate Pigments will create beautiful intense colors with a 1 to 1 ratio. The results are a perfectly smooth finish and brilliant colors. (Jewel Tone Satins on www.colorsforearth.com)



Majolica

- 3 coats of Matt Medium on 04 bisque.
- Using Color Concentrates or Color Strokes/PSPs you can decorate on top of the raw (un-fired) glaze.
- The Color Concentrates should be conditioned with Matt Medium before doing design work. This will eliminate the possibility of blistering of the colors if application is to heavy.

Creates a beautiful satin finish.

- It is naturally transparent.
- It is self leveling during firing.
- Can be used under design work or over design work.
- 3 coats is recommended.
- Can be spot glazed with CSP01 Gloss Glaze for specialty effects.



Design Under Matt Medium

- Using Color Concentrates or Color Strokes/PSPs create design on bisque.
- Apply 3 smooth coats of Matt Medium for a Satin finish.
- Fire to witness cone 06.
- Darker colors may become milky under the matt medium because of the opacifier in the product.

When creating a **Matt Blend** for solid coverage you must:

- Temper the Color — This is to take equal parts of the medium and color in blending cup and mix thoroughly with small fan brush before adding the remaining medium and complete blend.
- Using Clean Brush, then apply 3 flowing coats to surface, allowing to dry in between coats.
- This blend is semi-opaque so care in application on a smooth surface is needed.



Matt Blend

- Mix equal parts of Matt Medium with Color Concentrate following the blend instructions. Not all colors can be mixed 50/50. Refer to Matt Color Wheel.
- Apply 3 smooth coats to 04 bisque.

Products

CC132 Deep Cranberry
CSP03 Matt Medium



Earthenware—Matt Finish on top or underneath of Design Work on Earthenware fire to **Cone 06**.

Stoneware or Porcelain—Matt Finish on top of Design Work on **Cone 6** Stoneware or Porcelain.