U.S. DEPARTMENT OF LABOR MATERIAL DATA SAFETY SHEET Occupational Health and Safety Administration May be used to comply with OSHA's Hazard Communication Standard, (Non-Mandatory Form) 29 CFR 1910.1200. Standard must be Form Approved consulted for specific requirements. OMB No. 1218-0072 Glass Separator, Free Glass Separator, Free SECTION I: Manufacturer's Name: Colors for Earth, LLC Emergency Telephone Number: (817) 677-5020 Address: 104 Finneyoaks Lane Telephone Number for Information: (817) 677-5020 Weatherford, TX 76085 Prepared By: MSDS Department Date: 4/22/2010 SECTION II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION **Hazardous Components** CSA# OSHA PEL **ACGIH TLV** Other limits % Crystalline Silica 14808-60-7 10 mg/m3 .1 mg/m3 Crystalline Silica only becomes a hazard when dispersed in the air or when this product is sprayed. 21645-51-2 Aluminum Hydrate SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS **Boiling Point:** 212° F 1.8 Specific Gravity (H₂0=1) N/A **Melting Point:** 1800° Vapor Pressure (mm Hg): Vapor Density (Air=1): N/A **Evaporation Rate (Butyl Acetate=1)** N/A Solubility in Water: Insoluble Appearance and Odor: Colored viscous liquid. Slight chemical odor. SECTION IV: FIRE AND EXPLOSION HAZARD DATA Flash Point (Method used): Non-flammable Flammable Limits: N/A LEL: N/A **UEL:** N/A Extinguishing Media: None required Special Fire Fighting Procedures: N/A

Unusual Fire and Explosion Hazards: None

<u>SECTION V: RE</u>	EACTIVIT	Y DATA	<u>A PRO</u>	DUCT: Glass	Separator, Free		
Stability	Unstable		Conditions To Avoid: None				
	Stable	X					
Incompatibility			d): None				
				••			
Hazardous Decomposition or Byproducts: None							
Hazardous Polymerization	Unstable		Conditions to Avoid: None				
-	Stable X						
SECTION VI: H	EALTH H	AZARD	DATA				
Route(s) of Entry: Inhalation?			bust only. Skin? No In			Ingestion? No	
Health Hazards(Acute and Chronic): Silica is not a hazard unless product is reduced to a dust and dispersed in the air, or product is applied by spraying. Prolonged inhalation of silica dust or mists, over an extented period of time may result in injury to the lungs or Silicosis.							
Carcinogenicity: NTP?		? No		OSHA Regu	lated? No	IARC Monographs? No	
Signs and Symptoms of Exposure:							
Medical Symptoms Aggravated by Exposure: Abrasive, can irritate eyes, skin and lungs							
Emergency and First Aid Procedures: Eye Contact – Flush with water for 15 minutes.							
Skin Contact – Wash with mild soap and water. <u>Inhalation</u> - Move to fresh air.							
SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE							
Steps to be taken in Case Material is Released or Spilled: Uncontamnated material may be recovered and used, otherwise clean up with paper towels and dispose of in trash receptacle.							
Waste Disposal Method: Dispose of according to State and Federal regulations							
Other Precautions: If spraying, the use of a NIOSH approved respirator for dust and mists is required.							
Precautions to be Taken in Handling and Storing: Protect from freezing. Close lid tightly to prevent material from							
drying out. Prac							
SECTION VIII:	CONTRO	L MEAS	SURES				
Respiratory Protection: Only if spraying							
Ventilation: local exhaust if necessary for dust control.							
Protective Gloves: Not Necessary Eye Protection: Avoid eye contact.						contact.	

Product: Glass Seperator, Free

The information and recommendations contained in this Material Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide for itself what safety measures are necessary to safely use this product, either alone or in combination with other products.

Glass Separator	
Free	

Colors for Earth, LLC, 104 Finneyoaks Lane, Weatherford, TX 76085

Page 3 of 3