



## **Heart Panels**

This Technique is done on 2-6 1/2" x 6 1/2" Clear for square panel and 1—2 7/8" x 6 3/4" Clear and White 96 COE glass for rectangular block, using **Colors For Earth Glass** products.

## Color for Earth (Glass Products) BA5002 Ice White BubbleART

BA5031 Pink BubbleART
BA5039 Plum BubbleART
BA5051 Cerulean BubbleART
G330 Blush Cabernet
G332 Deep Cranberry
G333 Rosewater Pink
G337 New Bright Violet
G351 Cerulean Blue
GM-300 Glass Medium
GS-503 Gold Sparkle
CSP70 Relief Motif (Optional)
BLFP Black Low-Fire/No-Fire Piping Paste
DB101 Detailing Black/CC101 Cobalt Black
PIPKIT Piping Kit with Pink Tip

- Clean glass in usual manner.
- Using piping bottle and pink tip with BLFP Black Low-Fire/No-Fire Piping Paste, pipe the pattern on top of the glass. Turn glass over and pipe all the lines on the back.

Thin Fire Firing Paper Brushes:

Liner

**Color Concentrates:** 

CC131 Cabernet CC132 Deep Cranberry CC140 Cobalt Blue CC143 Sapphire Blue CC152 Deep Cerulean Follow color guide on next pages for color placement. Some areas are shaded on top of the color after it dries. Listed below are the shading colors for the areas that need it.

G333/CSP70 = CC131 Cabernet

G357 = CC143 Sapphire Blue

G351 = CC152 Deep Cerulean

G337 = CC140 Cobalt Blue

G330 = CC132 Deep Cranberry

These colors are Color Concentrates. If you don't have them you can shade with a glass color that is a darker shade than you have down.


- Touch Ups: If you have lost any lines by going over them with color you can touch up your lines with DB101 Detailing Black/ CC101 Cobalt Black.
- 5. <u>Firing:</u> Place painted piece of glass on top of 2nd piece of clear. This is needed so that the BubbleART colors with bubble. This only happens between to piece of glass. Place on thin fire firing paper. Follow firing schedule on next page for glass and digital kilns. If using a ceramic kiln fire to witness cone 016/017.

Rectangle panel has the white 96 COE glass behind it and the square one has a second sheet of clear 96 COE.

Wipe/rinse off thin fire residue with water. Attach to glass block with Velcro on all 4 corners.

Any questions or comments or purchase of products please contact:

www.colorsforearth.com \* E-mail: ceramicsbpaula@gmail.com



## **Heart Glass Panels**

www.colorsforearth.com ceramicsbypaula@gmail.com

© 2014 Paula McCoy

## Firing Schedule

Segment	Ramp	Temp.	Hold
1	300	900	3
2	300	1425	10
3	FULL (9999)	950	20
4	100	300	0

